L Number	Hits	Search Text	DB	Time stamp
- Number	1	("6011585").PN.	USPAT;	2002/09/16 16:01
	_	(0011303).IN.	US-PGPUB;	2002/03/10 10:01
			EPO; JPO;	
			IBM TDB	
-	1	("5496106").PN.	USPAT;	2002/09/12 15:13
			US-PGPUB;	
			EPO; JPO;	
			IBM_TDB	
	268		USPAT;	2002/09/16 14:55
		OR 348/263 OR 348/266 OR 348/272 OR	US-PGPUB;	
		348/273 OR 348/281 OR 348/276 OR	EPO; JPO;	
		348/231.99-231.9 OR 348/222.1 OR 358/474	IBM_TDB	
		OR 358/479 OR 358/482 OR 358/451 OR 382/296 OR 382/297 OR 345/126 OR 395/501		
		OR 364/515).CCLS.		
_	1	1	USPAT;	2002/09/12 17:52
	_	(0011005) . 111.	US-PGPUB;	2002/03/12 17:32
			EPO; JPO;	
			IBM TDB	
-	2	6011585.URPN.	USPAT	2002/09/12 16:59
-	13		USPAT	2002/09/12 16:59
		"5619738" "5640627" "5764291"		
		"5821997" "5900909" "5937106"		
		"5949408" "5973734" "6011585"		
		"6011926").PN.		
-	6	Anderson-Eric-C.IN. AND (348/\$ OR	USPAT;	2002/09/16 10:38
		382/\$).CCLS. AND orientation.CLM.	US-PGPUB;	
			EPO; JPO; IBM TDB	
_	367	@ad<19960119 AND (382/296 OR	USPAT;	2002/09/17 09:56
	307	382/297).CCLS.	US-PGPUB;	2002/03/17 09:30
		302,231,100231	EPO; JPO;	
			IBM TDB	
-	257	@ad<19960119 AND (382/296).CCLS.	USPĀT;	2002/09/16 10:36
			US-PGPUB;	
			EPO; JPO;	
			IBM_TDB	
-	42	•	USPAT;	2002/09/16 11:01
		348/239).CCLS. AND rotat\$3	US-PGPUB;	
			EPO; JPO;	
_	10	@ad<19960119 AND (348/222.1 OR	IBM_TDB USPAT;	2002/09/12 18:26
	10	348/239).CCLS. AND tilt\$3	US-PGPUB;	2002/09/12 18:20
		340/233/:COLD: AND CITCOS	EPO; JPO;	
			IBM TDB	
. –	1	("5764291").PN.	USPAT;	2002/09/16 10:12
	-		US-PGPUB;	
j			EPO; JPO;	
1			IBM_TDB	
-	4		USPĀT	2002/09/16 10:13
-	44	1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	USPAT;	2002/09/16 17:37
		camera	US-PGPUB;	
			EPO; JPO;	
	-	Anderson Enia C. IN. AND Wandantables	IBM_TDB	2002/00/16 10 15
-	7	Anderson-Eric-C.IN. AND "orientation sensor"	USPAT; US∸PGPUB;	2002/09/16 10:47
		9611901	EPO; JPO;	
			IBM TDB	
_	3	"Apple Computer".AS. AND "orientation	USPAT;	2002/09/16 10:46
j	J	sensor"	US-PGPUB;	= = = = = = = = = = = = = = = = = = =
			EPO; JPO;	
			IBM_TDB	
-	7	Flashpoint.AS. AND "orientation sensor"	USPĀT;	2002/09/16 10:47
		·	US-PGPUB;	
			EPO; JPO;	
100	207	0-4-100-00110 NND (240-007-00-07-0	IBM_TDB	0000/00/15 11 15
_	207		USPAT;	2002/09/16 14:10
		AND ((rotat\$3 OR tilt\$3) NEAR6 sens\$3)	US-PGPUB; EPO; JPO;	
			IBM TDB	
_	1	6008846.URPN.	USPAT	2002/09/16 11:14
L_		1	1 22211	

_	11	("3699252" "4541596" "4667255" "4671479" "4916550" "4963986" "5247330" "5374971" "5559554" "5594502" "5622344").PN.	USPAT	2002/09/16 11:14
	10		110DAM	2002/09/16 11:29
-	10 118	@ad<19960119 AND (348/208.99 OR 348/208.1 OR 348/208.2 OR 348/208.3 OR 348/208.4 OR	USPAT; USPAT; US-PGPUB;	2002/09/16 11:29
-	118	348/208.6).CCLS. @ad<19960119 AND (348/208.99 OR 348/208.1	EPO; JPO; IBM_TDB USPAT;	2002/09/16 11:40
		OR 348/208.2 OR 348/208.3 OR 348/208.4 OR 348/208.6).CCLS. AND ((348/208.99 OR 348/208.1 OR 348/208.2 OR 348/208.3 OR 348/208.4 OR 348/208.6).CCLS. OR (rotat\$3 OR tilt\$3))	US-PGPUB; EPO; JPO; IBM_TDB	
-	5	1	USPAT	2002/09/16 12:02
-	2	("4612575" "5012347").PN.	USPAT	2002/09/16 12:02
-	5	5227889.URPN.	USPAT	2002/09/16 12:42
-	2	@ad<19960119 AND (348/207.99-376).CCLS. AND "image slant"	USPAT; US-PGPUB; EPO; JPO;	2002/09/16 14:11
			IBM TDB	[
-	62		USPĀT	2002/09/16 14:21
_	5	("4623930" "4678323" "4780739"	USPAT	2002/09/16 14:27
l_	61	"4788596" "4872058").PN.	HCDAM.	2002/09/16 14:38
	61	@ad<19960119 AND (348/208.99 OR 348/208.1 OR 348/208.2 OR 348/208.3 OR 348/208.4 OR 348/208.6).CCLS. AND (rows! OR lines!)	USPAT; US-PGPUB; EPO; JPO; IBM TDB	2002/09/16 14:38
-	8	@ad<19960119 AND (348/208.99 OR 348/208.1 OR 348/208.2 OR 348/208.3 OR 348/208.4 OR 348/208.6).CCLS. AND ((rows! OR lines!)	USPĀT; US-PGPUB; EPO; JPO;	2002/09/16 14:42
-	6	NEAR5 generat\$3) @ad<19960119 AND (348/208.12).CCLS.	IBM_TDB USPAT; US-PGPUB;	2002/09/16 14:42
_	40	@ad<19960119 AND @pd>19970403 AND (348/239 OR 348/263 OR 348/266 OR 348/272 OR	EPO; JPO; IBM_TDB USPAT; US-PGPUB;	2002/09/16 14:53
		348/273 OR 348/281 OR 348/276 OR 348/231.99-231.9 OR 348/222.1 OR 358/474 OR 358/479 OR 358/482 OR 358/451 OR 382/296 OR 382/297 OR 345/126 OR 395/501 OR 364/515).CCLS. AND (tilt\$3 OR skew\$3 OR slant\$3)	EPO; JPO; IBM_TDB	
_	0	· ·	USPAT; US-PGPUB; EPO; JPO;	2002/09/16 14:55
-	0	@ad<19960119 AND (348/296).CCLS. AND (blank NEAR4 lines)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; IBM TDB	2002/09/16 14:54
_	0	@ad<19960119 AND (348/296).CCLS. AND (additional NEAR4 rows)	USPĀT; US-PGPUB; EPO; JPO;	2002/09/16 14:54
-	0	@ad<19960119 AND (348/296).CCLS. AND (blank NEAR4 rows)	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2002/09/16 14:54
-	0	@ad<19960119 AND (348/296).CCLS. AND (add NEAR4 rows)	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2002/09/16 14:54
_	0	@ad<19960119 AND (348/296).CCLS. AND (add NEAR4 lines)	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2002/09/16 14:54
			IBM_TDB	

348/266 OR 349/272 OR 348/273 OR 349/281 US-PGUBS		224	10.1.10.000110	I	1 0000 /00 /10 15 00
	-	331	OR 348/276 OR 348/231.99-231.9 OR 348/222.1 OR 358/474 OR 358/479 OR 358/482 OR 358/451 OR 382/296 OR 382/297 OR	EPO; JPO;	2002/09/16 15:00
OR 355/451 OR 382/296 OR 382/297 OR 345/126 OR 395/501 OR 346/5151. CCLS. AND ((add3 OR additional OR blank) NEAR6 (lines OR rows OR columns)) AND (sctat3) OR skew83 OR slant53) OR 348/265 OR 348/273 OR 348/	-	166	((add\$3 OR additional OR blank) NEAR6 (lines OR rows OR columns)) @ad<19960119 AND (348/239 OR 348/263 OR 348/266 OR 348/272 OR 348/273 OR 348/281 OR 348/276 OR 348/231.99-231.9 OR	US-PGPUB; EPO; JPO;	2002/09/16 15:11
348/266 OR 348/272 OR 348/273 OR 348/281 OR 348/276 OR 348/276 OR 348/276 OR 348/276 OR 348/276 OR 348/276 OR 356/481 OR 326/296 OR 326/277 OR 345/126 OR 395/501 OR 364/515).CCLS. AND ((add\$3 OR additional OR blank OR generat\$3) NEAR6 (lines OR rows OR columns)) AND (rotat\$3 OR skew\$3 OR slant\$3)		0.55	OR 358/451 OR 382/296 OR 382/297 OR 345/126 OR 395/501 OR 364/515).CCLS. AND ((add\$3 OR additional OR blank) NEAR6 (lines OR rows OR columns)) AND (rotat\$3 OR skew\$3 OR slant\$3)	_	
389 \$\frac{2}{\text{add}}(19960119 \text{ AND } (348/207.99-376).CCLS. USPAT; 2002/09/16 15:36 MD (348/30 \text{ Add}) \text{ Columns}) AND (rotat\$3 OR skew\$3 OR EPO; JPO; IBM_TDB 15 16011595.PN. AND (captured SAME portrait) USPAT; US-FGFUB; EPO; JPO; IBM_TDB USPAT U	_	367	348/266 OR 348/272 OR 348/273 OR 348/281 OR 348/276 OR 348/231.99-231.9 OR 348/222.1 OR 358/474 OR 358/479 OR 358/482 OR 358/451 OR 382/296 OR 382/297 OR 345/126 OR 395/501 OR 364/515).CCLS. AND ((add\$3 OR additional OR blank OR generat\$3) NEAR6 (lines OR rows OR columns)) AND (rotat\$3 OR skew\$3 OR	US-PGPUB; EPO; JPO;	2002/09/16 15:34
Comparison of the comparison		389	<pre>@ad<19960119 AND (348/207.99-376).CCLS. AND ((add\$3 OR additional OR blank OR generat\$3) NEAR6 (lines OR rows OR columns)) AND (rotat\$3 OR skew\$3 OR</pre>	US-PGPUB; EPO; JPO;	2002/09/16 15:36
- 1 ("5227889").PN. USPĀT; US-PGPUB; EPO; JPO; IBM TDB USPĀT USPAT 2002/09/16 16:14 USPĀT USPĀT USPĀT 2002/09/16 17:33 "5012347" "5062696").PN. USPĀT 2002/09/16 17:33 "5012347" "5062696").PN. USPĀT 2002/09/16 17:34 USPĀT 2002/09/16 17:35 "4642700" "46607949" "4641198" USPĀT 2002/09/16 17:35 "4642700" "4666275" "4801793" USPĀT 2002/09/16 17:35 "5023656" "512287" "5128702" "5239333" "5262867" "5270831" "5239333" "5262867" "5270831" "5274418" "52756759" "5640627").PN. ead<19960119 AND (348/207.99-376).CCLS. AND USPĀT; US-PGPUB; EPO; JPO; IBM TDB USPĀT; US-PGPUB; EPO; JPO; JPO; IBM TDB USPĀT; US-PGPUB; EP	-	1	6011585.PN. AND (captured SAME portrait)	US-PGPUB; EPO; JPO;	2002/09/16 16:13
- 5	-	1	("5227889").PN.	US-PGPUB; EPO; JPO;	2002/09/16 16:14
- 21 ("4364650" "4607949" "4641198" USPAT	_		"5012347" "5062696").PN.		
AND portrait AND landscape 6 @ad<19960119 AND (382/297).CCLS. AND	-		("4364650" "4607949" "4641198" "4642700" "4666275" "4801793" "5023656" "5122827" "5128702" "5146258" "5227889" "5235427" "5239333" "5262867" "5270831" "5274418" "5295077" "5363169" "5410415" "5576759" "5640627").PN.	1	
- 6 @ad<19960119 AND (382/297).CCLS. AND camera - 121 @ad<19960119 AND (348/207.99-376).CCLS. - 121 @ad<19960119 AND (348/207.99-376).CCLS. AND "90 degree" - 2 @ad<19960119 AND camera AND (gyroscope OR sensor) AND portrait AND landscape - 13 @pd<19960119 AND (ccd OR "image sensor" OR "image pickup" OR "image pickup" OR "image pick-up" OR imager OR "imaging device") AND (rotat\$3	-	13		US-PGPUB; EPO; JPO;	2002/09/16 17:43
- 121 @ad<19960119 AND (348/207.99-376).CCLS. AND "90 degree" 72 @ad<19960119 AND camera AND (gyroscope OR sensor) AND portrait AND landscape 13 @pd<19960119 AND (ccd OR "image sensor" OR "image pickup" OR "i	-	6		USPĀT; US-PGPUB; EPO; JPO;	2002/09/16 17:42
72 @ad<19960119 AND camera AND (gyroscope OR sensor) AND portrait AND landscape 13 @pd<19960119 AND (ccd OR "image sensor" OR "image pickup" OR "image pickup" OR "image pickup" OR "image normal of the pickup" OR "image pickup"	-	121		USPAT; US-PGPUB; EPO; JPO;	2002/09/16 17:52
- 13 @pd<19960119 AND (ccd OR "image sensor" OR "image pickup" OR "image pick-up" OR imager OR "imaging device") AND (rotat\$3	-	72	@ad<19960119 AND camera AND (gyroscope OR sensor) AND portrait AND landscape	USPAT; US-PGPUB; EPO; JPO;	2002/09/17 08:53
OV COLUGO) WAD 30 GEOTIES.		13	"image pickup" OR "image pick-up" OR		2002/09/17 08:59

_	12	@pd<19960119 AND (ccd OR "image sensor" OR	EPO; JPO	2002/09/17 09:55
		"image pickup" OR "image pick-up" OR		İ
11		imager OR "imaging device") AND (rotat\$3		İ
		OR turn\$3) AND camera AND (portrait OR		
	i	landscape OR "90 degrees")		
_	1	("5227889").PN.	USPAT;	2002/09/17 09:40
			US-PGPUB;	
			EPO; JPO;	
1			IBM TDB	
-	52	@ad<19960119 AND (348/246).CCLS.	USPAT;	2002/09/17 09:56
			US-PGPUB;	
			EPO; JPO;	
			IBM TDB	